

From: [Coltrain, Katrina](#)
To: [Jefferson, Matthew](#)
Subject: RE: Wilcox Direct Sensing Report
Date: Friday, April 29, 2016 6:57:00 AM

After talking with Tom and EA, I am not certain that an in-depth review will be necessary. The SAP for Phase 2 will be out next week (or the following). The general application of the LIF information has been used to focus out delineation of the fluoresced areas. Perhaps, a review from the stand point of using the LIF and SAP together would be more helpful. This will ensure that we use the information in the best possible way and do not exhaust efforts in areas we do not need information.

Our plan is to provide the team with our approach based on the data collected thus far. Give about a week to get familiar with it and then follow with a conference call/web discussion to talk through the document. Then, with a little more digestion filter comments/questions and revise the document. So May, will most likely be the month of review.

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section (6SF-RL)
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143

-----Original Message-----

From: Jefferson, Matthew
Sent: Thursday, April 28, 2016 4:59 PM
To: Coltrain, Katrina <coltrain.katrina@epa.gov>
Subject: RE: Wilcox Direct Sensing Report

Sure, we can get you some responses from our LIF experts. Since our experts will be at NARPM, could we get you something by May 20?

Unfortunately, I will not be at NARPM, but I hope you have a good time!

Best,
Matt

-----Original Message-----

From: Coltrain, Katrina
Sent: Tuesday, April 26, 2016 8:05 AM
To: Jefferson, Matthew <jefferson.matthew@epa.gov>
Subject: RE: Wilcox Direct Sensing Report

Hi Matt, I hope you were able to download the report and associated appendices. I want to extend an added request for review to you and your fluorescence experts. Phase 1 relied on LIF and from my understanding the interpretation of the data needs to be looked at by an expert with experience in this technology rather than the interpretation of the field team.

I will be at NARPM next week. Maybe we will see each other there.

Katrina Higgins-Coltrain
Remedial Project Manager



9750809

US EPA Region 6
LA/OK/NM Section (6SF-RL)
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143